

## 6.5 Creedmoor

| Fire arm    | Universal            |            |             |             |             |             |             |             |
|-------------|----------------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|
|             | Barrel length& twist | 24"/ 1-8"  | stock#      | 1728        | 7430        | 4330        |             |             |
| Case/primer | hornady/ Win LR      | desc.      | 130 gr. HPB | 130 gr. TMK | 130gr TGK   |             |             |             |
|             |                      | C.O.A.L    | 2.670       | 2.810       | 2.8         |             |             |             |
|             |                      |            | 2400        | 2500        | 2600        | 2700        | 2800        | 2900        |
| 1           | Hodgdon              | H4895      | 32.8        | 33.6        | 35.1        | <b>36.7</b> |             |             |
| 2           | IMR Powde            | IMR 4895   | 32.8        | 34.2        | 35.7        | <b>37.2</b> |             |             |
| 3           | Hodgdon              | Varget     | 33.1        | 34.6        | 36.1        | <b>37.6</b> |             |             |
| 4           | IMR Powde            | IMR 4064   | 33.2        | 34.7        | 36.1        | <b>37.6</b> |             |             |
| 5           | Alliant Pow          | RE 15      | 32.7        | 34.4        | 36.0        | 37.7        | <b>39.3</b> |             |
| 6           | Winchester           | Win 760    | 37.9        | 39.3        | 40.7        | 42.1        | 43.5        | <b>44.8</b> |
| 7           | Alliant Pow          | RE 17      | 36.3        | 37.7        | 39.1        | 40.4        | 41.8        | <b>43.2</b> |
| 8           | Alliant Pow          | RE 16      | 36.4        | 38.0        | 39.6        | 41.2        | 42.8        | <b>44.4</b> |
| 8           | IMR Powde            | IMR 4451 E | 37.4        | 39.0        | 40.6        | 42.1        | <b>43.7</b> |             |
| 9           | IMR Powde            | IMR 4350   | 37.8        | 39.3        | 40.8        | <b>42.4</b> |             |             |
| 10          | Hodgdon              | H4350      | 36.4        | 38.0        | 39.7        | 41.3        | <b>42.9</b> |             |
| 11          | Hodgdon              | Hybrid 100 | 35.8        | 37.3        | 38.9        | 40.5        | <b>42.0</b> |             |
| 12          | Alliant Pow          | RE 19      | 40.2        | 41.6        | 43.0        | 44.4        | <b>45.8</b> |             |
| Energy/ft.l |                      |            | <b>1662</b> | <b>1804</b> | <b>1951</b> | <b>2104</b> | <b>2263</b> | <b>2427</b> |