

Date	11/15/2023
Revision	D
<b>NOTES</b>	
1	Shimming is probably required for perfect scope alignment.
2	Rear base may require modifications for correct fit to military actions.
3	Front base may require modification for correct fit.
4	Gun will have to be drilled and tapped.
5	Front base screws must be shortened by grinding.
6	May require bolt and/or safety alteration, otherwise firearm cannot function safely and properly. Consult with a qualified gunsmith.
7	Base DOES NOT FIT Rossi Large Frame Matched Pair Combos. (All models with 12 GA or 20 GA barrels.)
8	Remove rear sight to use.
9	The handiest way to pinpoint the correct base for the Win. 52 & Win. 70 Long action Rifles is to check the spacing of the tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have: HOLE SPACING THE SAME: Model 52: use 46+ 46, Model 70: use 47+ 46 HOLE SPACING DIFFERENT: Model 52: use 25+ 57 Model 70: use 49A+ 46
10	The Weaver type base built into this rifle will accept Weaver rings but our highest ring (1" See-Thru #49513) still isn't high enough to clear the front sight.
11	The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
12	Rifle has Grooved Receiver for Tip-Off Rings.
13	Ruger Mark II Pistols. Weaver only offers a clamp on base with 1" rings (Pistol Mount System #306). Ruger supplies a short or long base and 1" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger at 602-778-6555 for these items.
14	Bolt Clearance problem may exist and scope will not be centered.
15	Base accepts Tip-Off Rings only.
16	TO-9, TO-10 & TO-11 bases accept either Detachable Top Mount Rings or Tip-Off Rings. Each have crossbolt slots and 3/8" grooves for both applications.
17	Must be factory drilled and tapped.
18	One-Piece base attaches to barrel and extends back over receiver.
19	Requires the use of Thompson/Center base adapter.
20	Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
21	Rear base is positioned on top of receiver and front base is positioned on the barrel. Drilling & tapping required. One-piece base mounts w/2 set screws & newer guns are factory drilled & tapped.
22	For shorter tube scopes or red dot scopes use #402 extension front base or one-piece base if available. Extension base allows an extra .689".
23	<b>WARNING: NOT FOR USE WITH X-FRAME REVOLVERS. USE ON FIREARMS OTHER THAN THOSE LISTED ABOVE MAY CAUSE INJURY.</b>
24	Top mount base is designed to fit 12GA models only.
25	Can be used with Tactical Multi Slot Bases.
26	Rear Base Screws must be shortened by grinding.
27	Not available or discontinued.
28	Tactical Extended Multi-Slot Bases have 20 MOA versions as well.
29	Savage changed the Axis receiver threads from 6-49 to 8-40 in June of 2021. To identify what threads, Savage Arms added a drill point on the receiver. The drill point is located on the left side of the ejection port. If there is a drill point then the receiver has 8-40 threads, if no drill point, then the receiver has 6-48 threads.

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES					MULTI-SLOT BASES		STEEL LOCK SEE THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
		STANDARD 2-PC BASES		EXTENSION BASES		1-PC	1-PC	1-PC				STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi-Slot Bases				Extended multi-slot bases	No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET		
<b>ANSCHUTZ</b>																	
Mark 12		16 (48016)	16 (48016)														
54, 54MS, 64, 64MS, 164, 1400 Series, 1500 Series		91 (48091)	91 (48091)									S91 (48241)	S91 (48241)				48964
153 Deluxe		19 (48019)	19 (48019)														
1568		61 (40861)	46 (48046)		402 (48108)						1 (48401)						
- Matte		61M (48504)	46M (48502)		402M (48429)				49717			S61 (48234)	S46 (48227)		S402 (48247)		
- Silver		61S (48002)	46S (48004)		402S (48430)				49729								
<b>AUSTIN &amp; HALLECK</b>																	
Bolt Action Rifle		85 (48085)	85 (48085)														
<b>AUTO SHOTGUNS</b>																	
All Autos EXCEPT Rem 11-48, 11-87, 1100, Sptsmn 48	4										7 (48407)						
<b>BENELLI</b>																	
Nova 12 ga Shotgun (MATTE) (flat receiver)							423M (48443)										
Super Black Eagle, Super Black Eagle II, Super Black Eagle III, Super Nova, Super Vinci, M1 & M2 Field Guns							93A (48506)										
- Matte							93AT (48339)										
<b>BERGARA</b>																	
B-14		36 (48036)	35 (48035)		40A (48040)												
		36M (48501)	35M (48500)		40AM (48428)												
		36S (48005)	35S (48006)		40AS (48041)												
<b>BERETTA</b>																	
Mato Rifle		49A (48049)	46 (48046)		402 (48108)												
500, 501, 502		54 (48054)	46 (48046)		402 (48108)												
Pintail Slug Gun		35 (48035)	35 (48035)		40A (48040)												
- Matte		35M (48500)	35M (48500)		40AM (48428)							S35 (48224)	S35 (48224)	S40A (48243)	S40A (48243)		
- Silver		35S (48006)	35S (48006)		40AS (48041)												
<b>BRITISH 303</b>																	
With Enfield Action	4, 15					TO-1 (48203)											
<b>BRNO ZB</b>																	
.22 Hornet, .218 BEE		39 (48039)	24 (48024)														
ZB .22		28 (48028)	24 (48024)														
<b>BROWNING</b>																	
1885 High Wall (Octagon Barrel)	1,3	11 (48011)	29 (48029)														
22 Auto	18					60A (48064)											
Sako Actions in 243, 308, 22-250, 222 & 222 Mag.		72 (48072)	71 (48071)														
A-Bolt, A-Bolt 22 Stalker, Medallion		47 (48047)	47 (48047)														
- Matte		47M (48503)	47M (48503)	48462													48905
- Silver		47S (48003)	47S (48003)														
A-Bolt Shotgun																	
- Matte		47M (48503)	419M (48437)														
A-Bolt (European Model), Mod 52, 52C	5	85 (48085)	85 (48085)														
A-Bolt III S/A (Matte Only)		651	651	48481			612 (48315)	99473									
A-Bolt III L/A (Matte Only)		651	651	48481			611 (48314)	99472									
T-Bolt, Xpert 22		15 (48015)	15 (48015)														
X-Bolt																	
- Matte		433M	434M	48493													
Silver		433S	434S	48495													
Bolt Action, Hi-Power, Other Cal. (Older Mod.)		45 (48045)	46 (48046)		402 (48108)						5 (48405)	S45 (48226)	S46 (48227)		S402 (48247)		
- Silver		45S (48510)	46S (48004)		402S (48430)												
BAR, BAR II, Mark II, BLR Lightning (Lever), BPR	5	54 (48054)	54 (48054)						49720								48932
- Matte (base pair)		54M	54M	48470								S54 (48230)	S54 (48230)				48933

























WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES		STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES				
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC				No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi-Slot Bases	Extended multi-slot bases							REAR	FRONT	REAR	FRONT		
<b>THOMPSON CENTER</b>																					
Contender Handgun (will not fit the 44 mag bullbarri) & Contender Carbine Rifle									92A (48092)												
- Silver									92AS (48007)												
Scout Rifle & Scout Pistol									404 (48440)												
TCR 83 Aristocrat									405 (48105)												
ThunderHawk & Firehawk (2ea. per pkg.)		406 (48110)	406 (48110)																		
Encore, Omega, Triumph, Impact									410 (48513)		48540 MD						48926				
- Matte									410M (48520)		48541 H										
- Silver									410S (48452)												
System 1 & Black Diamond, Blk Mountain, Center Woods, 22 classic R55				411 (48632)																	
- Silver				411S (48633)																	
Venture, Compass		46 (48046)	46 (48046)		402 (48108)	402 (48108)															
- Matte	22	46M (48502)	46M (48502)		402M (48429)	402M (48429)							S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)	48906				
- Silver	22	46S (48004)	46S (48004)		402S (48430)	402S (48430)															
<b>TIKKA</b>																					
Tikka w/Flat Receiver, T3, 500 Series		61 (48061)	61 (48061)																		
- Matte		61M (48504)	61M (48504)	48476						99470			S61 (48234)	S61 (48234)							
- Silver		61S (48002)	61S (48002)																		
T3X		61 (48061)	61 (48061)																		
- Matte		61M (48504)	61M (48504)	48476						99470			S61 (48234)	S61 (48234)							
Sako Design w/Tapered Dovetail		67 (48067)	65 (48065)																		
<b>TRADITIONS</b>																					
Whitetail w/Octagon Receivers	17	61A (48069)	61A (48069)																		
In-Line Muzzleloaders w/Round Receivers -Matte		418M (48435)	418M (48435)	48521							48543 MD										
- Silver		418S (48453)	418S (48453)								48544 H										
<b>U. S. CARBINE</b>																					
M1 Carbine 30 Cal.	20										M (48409)										
<b>VALMET</b>																					
Tapered Dovetail Sako Design		67 (48067)	65 (48065)																		
<b>VOERE</b>																					
2130	4	28 (48028)	28 (48028)																		
2150, 2165/1, 2165/2, 2165/3 & 2165/4 (Mauser Action)		45 (48045)	46 (48046)			402 (48108)							S45 (48226)	S46 (48227)		S402 (48247)					
- Silver		45S (48510)	46S (48004)																		
<b>WEATHERBY</b>																					
Vanguard S/A, 300	1, 2, 2	36 (48036)	35 (48035)			40A (48040)				49712							48900				
- Matte	1, 2, 2	36M (48501)	35M (48500)			40AM (48428)							S36 (48225)	S35 (48224)		S40A (48243)	48901				
- Silver	1, 2, 2	36S (48005)	35S (48006)			40AS (48041)															
Vanguard L/A		36 (48036)	35 (48035)			40A (48040)				49712											
- Matte	1, 2, 2	36M (48501)	35M (48500)			40AM (48428)							S36 (48225)	S35 (48224)		S40A (48243)	48901				
- Silver	1, 2, 2	36S (48005)	35S (48006)			40AS (48041)															
Mark V std. Cal incl. 240mag, Centerfire Pistol, 224 Varmintmaster, Ultra Lightweight		36 (48036)	41S (48431)																		
- Matte		36M (48501)	41SM (48432)																		
XXII (info per customer)		55 (48055)	55 (48055)																		
FN Mauser Style Actions		45 (48045)	46 (48046)			402 (48108)							S45 (48226)	S46 (48227)		S402 (48247)					
- Silver		45S (48510)	46S (48004)			402S (48430)															
Mark V Mag. Cal except 240 mag.		424 (48446)	35 (48035)			40A (48040)											48976				
- Matte		424M (48445)	35M (48500)			40AM (48428)															
<b>WESTERN FIELD</b>																					

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES		STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES				
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC				No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi-Slot Bases	Extended multi-slot bases							REAR	FRONT	REAR	FRONT		
712	6										1 (48401)										
730		25 (48025)	11 (48011)																		
740								63B (48069)		49713											
- Silver								63BS (48447)													
750		67 (48067)	65 (48065)																		
770		55 (48055)	20A (48020)																		
772								80 (48080)													
775 & 780		55 (48055)	55 (48055)										S55 (48231)	S55 (48231)							
<b>WINCHESTER (Includes Ranger Models)</b>																					
03 & 63		19 (48019)	22 (48022)								2 (48402)										
06, 62, 62A & 90 w/Octagon Barrel		32 (48032)	32 (48032)																		
05, 07 & 10		20A (48020)	17 (48017)																		
42											2 (48402)										
43		18 (48018)	18 (48018)																		
52 (hole spacing different)	6, 9	25 (48025)	57 (48057)								2 (48402)										
52 (hole spacing same)	6, 9	46 (48046)	46 (48046)			402 (48108)					2 (48402)										
- Matte	6, 9	46M (48502)	46M (48502)		402M (48429)	402M (48429)							S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)					
- Silver	6, 9	46S (48004)	46S (48004)		402S (48430)	402S (48430)															
Lever Actions 53, 55, 64, 65, 66, 71, 1886, 1892, 95 & 1895	4										3A (48403)										
54 & early Mod. 70 w/Serial No. below #66 350	6	48 (48048)	46 (48046)			402 (48108)					1 (48401)										
57 & 69		12 (48012)	13 (48013)								2 (48402)										
60, 67 & 68	6	21 (48021)	21 (48021)																		
61 w/Round Barrel		19 (48019)	13 (48013)								2 (48402)										
61 w/Octagon Barrel		25 (48025)	32 (48032)								2 (48402)										
69A, 72 & 47		12 (48012)	17 (48017)								2 (48402)										
SXR	5	54 (48054)	54 (48054)																		
70 Long Action, (some 70 coyote short actions may take LA base ) (hole spacing same) 670, 770	9	47 (48047)	46 (48046)			402 (48108)	96 (48096) Pre 2008		99480		1 (48401)										
- Matte		47M (48503)	46M (48502)	48468		402M (48429)															
- Silver		47S (48003)	46S (48004)			402S (48430)															
70 Long Action (hole spacing different) & 70 Super Express	9	49A (48049)	46 (48046)			402 (48108)															
70 Short Action (1984+)		47 (48047)	46 (48046)			402 (48108)	99 (48099) Pre 2008		99481		1 (48401)										
- Matte		47M (48503)	46M (48502)	48468		402M (48429)															
- Silver		47S (48003)	46S (48004)			402S (48430)															
70 WSM		47 (48047)	46 (48046)			402 (48108)															
- Matte		47M (48503)	46M (48502)			402M (48429)															
- Silver		47S (48003)	46S (48004)			402S (48430)															
70 WSSM		42B (48451)	46 (48046)																		
74		12 (48012)	12 (48012)								2 (48402)										
75 Sporter		15 (48015)	30 (48030)								2 (48402)										
75 Target		15 (48015)	16 (48016)								2 (48402)										
77		15 (48015)	32 (48032)								2 (48402)										
88 & 100							53 (48053)											48942			
94 Pre '64	4										3D (48415)										
94 Post '64 & 94 Trapper											3B (48412)										
94 Big Bore 375											3C (48413)										







Redfield Steel Bases						
Gun	1 Piece Base		2 Piece Bases		2 Piece Extension Base	
	Black	Matte	Black	Matte	Black	Matte
<b>BROWNING</b>						
A-Bolt				47701		
A-Bolt III				47703		
X-Bolt				47707		
<b>DICKSON-HOWA</b>						
1500				47702		
<b>MOSSBERG</b>						
MVP				47702		
Patriot				47702		
<b>REMINGTON</b>						
700				47702		
783				47713		
7				47704		
<b>RUGER</b>						
American				47713		
<b>SAVAGE</b>						
10/110 Series				47713		
Axis Series				47713		
<b>Tika</b>						
T3				47726		
T3X				47726		
<b>WEATHERBY</b>						
Mark V				47714		
Vanguard				47727		
<b>WINCHESTER</b>						
70				47708		
XPR				47709		